

# sizing guide

## HOW TO USE THIS GUIDE

model	hinged opening	slider opening	max height	common door options: hinged	slider
123 Model name	XX (vc)	XX	XX	XX / XX	XX / XX
	<p><b>Hinged opening:</b> For a hinged door option this is the centreline opening that you would order. For tiled walls a centreline measurement must be made when tiling is completed and provided when ordering. <b>(vc) = verify centreline opening</b></p>	<p><b>Slider opening:</b> For a slider style door this is the opening and the size that would apply to door. Sliders have more flexibility because the glass overlaps in the middle.</p>	<p><b>Max height:</b> This is the maximum possible height of the enclosure. Pick the standard height you desire that will fit (or specify your custom height – within the max possible).</p>	<p><b>Common door options:</b> Examples of the most common enclosures. Other options and heavy glass enclosures not listed are often available.</p>	

### Notes

- 391 series refers to 391C, 391C6, 391CV, 391CVHG
- PL 10mm hinged series doors will require custom sizes in some cases
- HGS\* refers to 10mm heavy glass sliders: Rorik, Urban Slide, Cambridge, PL50, PL60, PL70
- 1340\* requires minimum 60" height unless customized
- 1350\* requires minimum 77" height unless customized

## ACRI-TEC

model		hinged opening	slider opening	max height	common door options: hinged	slider
75001	Kensington 36" shower	29 $\frac{5}{8}$	n/a	71	300C/300CV/700C/300C6	
75003/4	Kensington 48" shower	41 $\frac{3}{8}$	43	72	391 series/791	350/350D
75005	Kensington 60" shower	53 $\frac{1}{8}$	54	72	391 series/791	350/350D
76001/2	Kensington 60" tub + shower	n/a	54	57		340/340D
75002	Kensington 36" neo	16 $\frac{1}{2}$ x 23 $\frac{3}{4}$ x 16 $\frac{1}{2}$	n/a	71 $\frac{1}{2}$	394 series/794/694 FW	
63031	32 x 32 single threshold base	30 (vc)	n/a	tile height	300C/300CV/700C/300C6	
60001	32 x 32 dt base	29 $\frac{3}{4}$ x 29 $\frac{3}{4}$ (vc)	n/a	tile height	392 series/792	
63113	36 x 36 single threshold base	34 $\frac{1}{4}$ (vc)	n/a	tile height	300C/300CV/700C/300C6/PL91	
60031	36 x 36 dt base	34 x 34 (vc)	n/a	tile height	392 series/792/PL93	
63311	54 x 36 single threshold base	54 (vc)	54	tile height	391 series/791/PL91/1350*	350/350D/HGS*

## ALTREK

model		hinged opening	slider opening	max height	common door options: hinged	slider
AS Princess (1 + 2pc)		57 $\frac{1}{4}$	58	68 $\frac{1}{4}$	391 series/791	350/350D cut down
AS Princess (4pc split L/R)		57 $\frac{1}{4}$	58	69 $\frac{1}{4}$	391 series/791	350/350D cut down
AS 2930 – renovator		27 $\frac{1}{2}$	n/a	73	300C/700C/300CV/300C6	
AS 3232 + split		30	n/a	70 $\frac{3}{4}$	300C/700C/300CV/300C6	
AS 32 DT		30 x 30	n/a	71 $\frac{1}{2}$	392/792/392C6	
AS 32 DT split		30 x 30	n/a	71 $\frac{1}{2}$	392/792/392C6	
AS 3630		31 $\frac{1}{2}$	n/a	72	300C/700C/300CV/300C6	
AS 3636		33 $\frac{7}{8}$	n/a	71 $\frac{1}{2}$	300C/700C/300CV/300C6	
AS 3636 split		33 $\frac{7}{8}$	n/a	71 $\frac{1}{2}$	300C/700C/300CV/300C6	
AS 36 DT		33 $\frac{3}{4}$ x 33 $\frac{3}{4}$	n/a	71 $\frac{1}{2}$	392/792/392C6	
AS 36 DT split		33 x 33	n/a	72	392/792/392C6	
AS 36 neo		16 $\frac{1}{2}$ x 23 $\frac{3}{4}$ x 16 $\frac{1}{2}$	n/a	71 $\frac{1}{2}$	394/794/394C6/(694 – 16FW)	
AS 36 neo split		16 x 24 $\frac{3}{4}$ x 16	n/a	72	394/794/394C6/(694 – 15 $\frac{1}{2}$ )	
AS 38 neo		16 $\frac{3}{4}$ x 24 $\frac{3}{4}$ x 16 $\frac{3}{4}$	n/a	73	394/794/394C6/(694 – 16 $\frac{3}{8}$ )	
AS 4234		38 $\frac{3}{4}$	n/a	67 $\frac{1}{4}$	391 series/791	
AS 4836 + split		45 $\frac{1}{2}$	48	71 $\frac{1}{4}$	391 series/791	350/350D
AS GL – 4836		42 $\frac{1}{2}$	43	69 $\frac{1}{2}$	391 series/791	350/350D
AS 6034 ED (4pc L/R)		57	58	74	391 series/791	350/350D
AS 6034 ED		57 $\frac{1}{2}$	58	71 $\frac{1}{2}$	391 series/791	350/350D
AS 6035		55 $\frac{1}{2}$	56	72	391 series/791	350/350D
AS 6036 BFS		57	58	74	391 series/791/791CBF	350/350D
AF 6030 split		n/a	54	53 $\frac{1}{2}$		340/340D

## ALTREK continued

model	hinged opening	slider opening	max height	common door options: hinged	slider
AT 6032	n/a	58	59		340/340D
AF 6032 (above floor)	n/a	58	51 1/4		340/340D
AT 6032 split	n/a	58	62		340/340D
AF Chinook L/R	n/a	54	57 1/4		340/340D
AF Monaco 30 2pc and 4pc L/R	n/a	58	55		340/340D
AF Monaco 32 split L/R	n/a	58	55		340/340D
AF Monaco 32 4pc L/R	n/a	58	55		340/340D
AF Triplicity	n/a	54	53 1/4		340/340D
AF GL-6032	n/a	54	57 1/4		340/340D
AF 6034 (above floor)	n/a	54	57 1/2		340/340D
AF GL 6034 (above floor)	n/a	54	56 1/2		340/340D
AF Cassandra 60-42	n/a	56	56 3/4		340/340D
AF 6634 (above floor)	n/a	60	54		340/340D
AT 7236 TW	n/a	66	53		340/340D
AB 32 base	29 1/2	n/a	tile height	300C/700C/300CV/300C6	
AB 36 base	34 (vc)	n/a	tile height	300C/700C/300CV/300C6	
AB 36 DT base	34 x 34 (vc)	n/a	tile height	392/792/392C6/PL93	
AB 36 neo base	16 3/4 x 24 3/4 x 16 3/4	n/a	tile height	394/794/394C6/694 – 16 3/8	
AB 42 base	42 (vc)	43	tile height	391 series/791/PL91	350/350D
AB 48 base	46 (vc)	46	tile height	391 series/791/PL91/1350*	350/350D/HGS*
AB 60 base	60 (vc)	60	tile height	391 series/791/PL91/1350*	350/350D/HGS*
AB 6032 ED	60 (vc)	60	tile height	391 series/791/PL91/1350*	350/350D/HGS*
AB 6034 base	59 1/2 (vc)	60	tile height	391 series/791/PL91/1350*	350/350D/HGS*
AB Princess base	57 1/4 (vc)	58	tile height	391 series/791/PL91	350/350D

## HYTEC

model	hinged opening	slider opening	max height	common door options: hinged	slider
AC 36	32 5/8	n/a	67	300C/700C/300CV/300C6	
AC 60/61	n/a	54	64 3/4	1340*	340/340D
AC 62/63	n/a	54	57	1340*	340/340D
AC 90/91	n/a	54	60		340/340D
AC 100/101	n/a	64 1/2	57		340/340D
AC 3060 (tub)	n/a	58	tile height	1340*	340/340D/HGS*
AC 3260 (tub)	n/a	58	tile height	1340*	340/340D/HGS*
AC 3266	n/a	64	tile height	1340*	340/340D/HGS*
AC 4844/45/46	42 3/8	43	74	391 series/791	350/350D
AC 6170/71/72/73	52 1/4	54	80	391 series/791	350/350D

## HYTEK continued

model	hinged opening	slider opening	max height	common door options: hinged	slider
AC 6370/71/72/73	52¼	54	72	391 series/791	350/350D
AC 6536	57	60	68½	391 series/791	350/350D
AC 9180/81 Rockford	(vc)	n/a	tile height	392/792/392C6/PL93	
AC 9190/91 Rockford	39 x 33¼ w/buttress 19	n/a	tile height	393/793/393C6/PL93	
AC 9376/77 Rockford	33¾ x 32½ w/buttress 18⅞	n/a	tile height	392/792/392C6/PL93	
AC 9636/37 Chrysalis	33½ x 31½ w/buttress 12	n/a	tile height	392/792/392C6/PL93	
AC 10836/37 Rockford	38¾ x 32½ w/buttress 18⅞	n/a	tile height	393/793/393C6/PL93	
ACR 36N	16¾ x 23¾ x 16¾	n/a	tile height	394/794/394C6/(694 – 16FW)	
ACR 363 (base)	34 (vc)	n/a	tile height	300C/300CV/700C/300C6/PL91	
ACR 364 (base)	34½ (vc)	n/a	tile height	300C/300CV/700C/300C6/PL91	
ACR 3769 (base)	48 (vc)	48	tile height	391 series/791/PL91/1350*	350/350D/HGS*
ACR 3770 (base)	60 (vc)	60	tile height	391 series/791/PL91/1350*	350/350D/HGS*
ACR 3771 (base)	32 (vc)	n/a	tile height	300C/300CV/700C/300C6/PL91	
ACR 3774 (base)	48 (vc)	48	tile height	391 series/791/PL91/1350*	350/350D/HGS*
ACR 3775 (base)	60 (vc)	60	tile height	391 series/791/PL91/1350*	350/350D/HGS*
ACR 3778 (base)	48 (vc)	48	tile height	391 series/791/PL91/1350*	350/350D/HGS*
ACR 3778 DTA (base)	48 x 34 (vc)	(vc)	tile height	393/793/393C6/PL93	350/350D/HGS* w return
ACR 3778 DTB (base)	48 x 34 (vc)	(vc)	tile height	393/793/393C6/PL93	350/350D/HGS* w return
ACR 3780 (base)	60 (vc)	60	tile height	391 series/791/PL91/1350*	350/350D/HGS*
ACR 3781 (base)	36 (vc)	n/a	tile height	300C/300CV/700C/300C6/PL91	
ACR 3787 (base)	42 (vc)	43	tile height	391 series/791/PL91	350/350D
ACR 3792 (base)	48 (vc)	48	tile height	391 series/791/PL91/1350*	350/350D/HGS*
ACR 3794N	16 x 23¾ x 16	n/a	tile height	394/794/394C6/(694 – 16FW)	
ACR 3795N	22¼ x 23⅞ x 22¼	n/a	tile height	394/794/394C6	
ACR 3796DT (base)	36 x 36 (vc)	n/a	tile height	393/793/393C6/PL93	
ACR 483 (base)	47⅝ (vc)	48	tile height	391 series/791/PL91/1350*	350/350D/HGS*
ACR 603 (base)	58 (vc)	58	tile height	391 series/791/PL91/1350*	350/350D/HGS*
GR 36N (base w/ 3660 walls)	16¼ x 23¾ x 16¼	n/a	71	394/794/394C6/(694 – 16FW)	
GR 36N (base w/ tiled walls)	16¼ x 23¾ x 16¼	n/a	tile height	394/794/394C6/(694 – 16FW)	
GR 363 (base w/ 3660/61 walls)	33⅞	n/a	71	300C/300CV/700C/300C6	
GR 363 (base w/ tiled walls)	33⅞	n/a	tile height	300C/300CV/700C/300C6/PL91	
GR 483 (base w/ 3660/62 walls)	45⅞	48	71	391 series/791	350/350D
GR 483 (base w/ tiled walls)	45⅞	48	tile height	391 series/791/PL91/1350*	350/350D/HGS*
GR 603 (base w/3063+3663)	57⅞	58	71	391 series/791	350/350D
GR 603 (base w/ tiled walls)	57⅞	58	tile height	391 series/791/PL91/1350*	350/350D/HGS*
GR 5410 (base w/5530+5760)	57	58	72	391 series/791	350/350D

## HYTEK continued

model	hinged opening	slider opening	max height	common door options: hinged	slider
PA 17	37	n/a	71	391 series/791	
PA 32/33	n/a	55	56 1/4		350/350D
S600	53 1/4	54	72	391 series/791	350/350D
S601	53 3/8	54	72	391 series/791	350/350D
S602/S603	53 3/8	54	72	391 series/791	350/350D
TW 9501	34	n/a	71	300C/300CV/700C/300C6	
TW 9502/03	43	43	71 1/2	391 series/791	350/350D
TW 9504	55	56	71	391 series/791	350/350D
TW 9505/06	n/a	56	57		350/350D
TW 9508/09	55	56	71	391 series/791	350/350D
3060/61 (tiled or w/walls)	n/a	58	tile height (58 with walls)		340/340D/HGS*(with tile only)
3232	27 3/4	n/a	72	300C/300CV/700C/300C6	
3610	29 1/2	n/a	72	300C/300CV/700C/300C6	
3620	29 3/4	n/a	71 1/2	300C/300CV/700C/300C6	
3636DT	31 1/2 x 31 1/2	n/a	71 1/2	392/792/392C6	
3636N	14 3/4 x 23 3/4 x 14 3/4	n/a	71 1/2	394/794/394C6/(694 - 14 3/4)	
4040N	14 3/4 x 29 1/8 x 14 3/4	n/a	73	394/794/394C6	
4290 neo base (w/walls)	18 3/4 x 26 3/4 x 18 3/4	n/a	tile height	394/794/394C6	
3740	29 3/4	n/a	71 1/2	300C/300CV/700C/300C6	
3832/33	n/a	58	tile height	1340*	340/340D/HGS*
3930/31	n/a	58	tile height	1340*	340/340D/HGS*
4160/61 HA/HB	42	43	73 1/4	391 series/791	350/350D
4820/21	41 1/2	43	72	391 series/791	350/350D
4824/25	35 5/8 x 41 1/2 w/buttress 15 5/8	n/a	70	393/793/393C6/PL93	
4826/27	44	44	70 1/2	391 series/791	350/350D
4836	42 5/8	43	76	391 series/791	350/350D
5686/87	n/a	54	56		340/340D
5696/97	54 1/8	54	57		340/340D
6032/33	n/a	54	57		340/340D
6042/43	n/a	54	57		340/340D
6094/95	56	56	70 1/2	391 series/791	350/350D
6101	41 1/2	43	73 1/2	391 series/791	350/350D
6642/43	n/a	60	57		340/340D
7236/37	n/a	64	55		340/340D
14810/11	58 1/8 (vc)	60	tile height	391 series/791/PL91	340/340D/HGS*
14812	45 1/4 x 45 1/4 (vc)	n/a	tile height	393/793/393C6/PL93	350/350D/with return

## MAAX

model		hinged opening	slider opening	max height	common door options: hinged	slider
107006	Allia SHR 3636	29 <sup>3</sup> / <sub>4</sub>	n/a	76	300C/300CV/700C/300C6	
107007-S	Allia SH-3636 (2pc)	29 <sup>3</sup> / <sub>4</sub>	n/a	74 <sup>3</sup> / <sub>4</sub>	300C/300CV/700C/300C6	
107005	Allia SH-4834 (1pc)	41 <sup>3</sup> / <sub>4</sub>	43	74 <sup>3</sup> / <sub>4</sub>	391 series/791	350/350D
107004	Allia SHR-4834 (1pc)	41 <sup>3</sup> / <sub>4</sub>	43	76 <sup>3</sup> / <sub>4</sub>	391 series/791	350/350D
107003	Allia SH-6034 (1pc)	53 <sup>3</sup> / <sub>4</sub>	54	74 <sup>3</sup> / <sub>4</sub>	391 series/791	350/350D
107002	Allia SHR-6034 (1pc)	53 <sup>3</sup> / <sub>4</sub>	54	76 <sup>5</sup> / <sub>8</sub>	391 series/791	350/350D
107006-S	Allia SHR-3636 (1 or 3pc)	29 <sup>3</sup> / <sub>4</sub>	n/a	76 <sup>3</sup> / <sub>4</sub>	300C/300CV/700C/300C6	
107000	Allia TSR-6032 (1pc)	n/a	54	59		340/340D
107001	Allia TS-6032 (1pc)	n/a	54	58		340/340D
101023	Aspen 3P (3pc)	n/a	54	64		340/340D
100090	Apex 108 9ft	35 x 30 <sup>3</sup> / <sub>4</sub> w/buttress 12 <sup>5</sup> / <sub>8</sub>	n/a	tile height	393/793/393C6/PL93	
100091	Apex 96 8ft	34 x 31 <sup>5</sup> / <sub>8</sub> w/buttress 13 <sup>5</sup> / <sub>8</sub>	n/a	tile height	393/793/393C6/PL93	
140007	CSS36	16 x 24 <sup>3</sup> / <sub>4</sub> x 16	n/a	71 <sup>1</sup> / <sub>2</sub>	394/794/394C6/(694 – 15 <sup>1</sup> / <sub>2</sub> )	
140168	CSS38	18 <sup>3</sup> / <sub>4</sub> x 23 <sup>3</sup> / <sub>4</sub> x 18 <sup>3</sup> / <sub>4</sub>	n/a	72	394/794/394C6	
140009	CSS40	17 <sup>1</sup> / <sub>4</sub> x 28 <sup>1</sup> / <sub>2</sub> x 17 <sup>1</sup> / <sub>4</sub>	n/a	71 <sup>1</sup> / <sub>2</sub>	394/794/394C6	
140079	SECCSS36 (2pc)	16 x 24 <sup>3</sup> / <sub>4</sub> x 16	n/a	71 <sup>1</sup> / <sub>2</sub>	394/794/394C6/(694 – 15 <sup>1</sup> / <sub>2</sub> )	
148018	Essence SH-3232	28 <sup>1</sup> / <sub>2</sub>	n/a	72 <sup>5</sup> / <sub>8</sub>	300C/300CV/700C/300C6	
148024	Essence SH-3636	32 <sup>1</sup> / <sub>2</sub>	n/a	72 <sup>5</sup> / <sub>8</sub>	300C/300CV/700C/300C6	
148030	Essence SH-4834	44 <sup>1</sup> / <sub>2</sub>	46	76 <sup>1</sup> / <sub>8</sub>	391 series/791	350/350D
148036	Essence SH-6030	56 <sup>1</sup> / <sub>2</sub>	56	76 <sup>1</sup> / <sub>4</sub>	391 series/791	350/350D
148042	Essence SH-6034	56 <sup>1</sup> / <sub>2</sub>	56	76 <sup>1</sup> / <sub>4</sub>	391 series/791	350/350D
105623	Finesse base 32 x 60	60 (vc)	60	tile height	391 series/791/PL91/1350*	350/350D/HGS*
105624	Finesse base 32 x 48	48 (vc)	48	tile height	391 series/791/PL91/1350*	350/350D/HGS*
105625	Finesse base 32 x 42	42 (vc)	n/a	tile height	391 series/791/PL91	
145036	KDS 3060	56 <sup>1</sup> / <sub>2</sub>	56	76 <sup>1</sup> / <sub>4</sub>	391 series/791	350/350D
145018	KDS 3232	28 <sup>1</sup> / <sub>2</sub>	n/a	72 <sup>5</sup> / <sub>8</sub>	300C/300CV/700C/300C6	
145030	KDS 3448	44 <sup>1</sup> / <sub>2</sub>	44	76 <sup>1</sup> / <sub>8</sub>	391 series/791	350/350D
145042	KDS 3460	56 <sup>1</sup> / <sub>2</sub>	56	76 <sup>1</sup> / <sub>4</sub>	391 series/791	350/350D
145024	KDS 3636	32 <sup>1</sup> / <sub>2</sub>	n/a	72 <sup>5</sup> / <sub>8</sub>	300C/300CV/700C/300C6	
145012	KDTS 3260	n/a	58	63 <sup>1</sup> / <sub>8</sub>		340/340D
140045	SST36	33	n/a	65 <sup>3</sup> / <sub>4</sub>	300C/700C/300CV/300C6 custom height	
140085	SS 32	28 <sup>3</sup> / <sub>4</sub>	n/a	72	300C/300CV/700C/300C6	
140086	SS 36	29 <sup>5</sup> / <sub>8</sub>	n/a	72 <sup>1</sup> / <sub>2</sub>	300C/300CV/700C/300C6	
140043	SS 3060	56 <sup>3</sup> / <sub>4</sub>	56	66	391 series/791	350/350D
140087	SS 3648 L/R	42 <sup>1</sup> / <sub>8</sub>	43	70 <sup>1</sup> / <sub>2</sub>	391 series/791	350/350D

**MAAX** continued

model		hinged opening	slider opening	max height	common door options: hinged	slider
140545	SS 3648	46	46	65¾	391 series/791	350/350D
102676	SS 3660 R/L	54	54	71 ½	391 series/791	350/350D
101140	Stamina 48-II (1pc)	43	43	71	391 series/791	350/350D
101141	Stamina 60-I (1pc)	52¾	54	71	391 series/791	350/350D
101141-S	Stamina 60-I (3pc)	52¾	54	71	391 series/791	350/350D
101142	Stamina 60-II (1pc)	52¾	54	71	391 series/791	350/350D
101142-S	Stamina 60-II (2pc)	52¾	54	71	391 series/791	350/350D
140100	TSEA 62	n/a	58	56		340/340D
140101	TSEA 63	n/a	58	56½		340/340D
105674	TSEA plus	n/a	56	57¼		340/340D
101422	36" neo base + walls	15 ½ x 24¾ x 15 ½		72		
145032	SPS 3448 (base)	47⅞ (vc)	46	tile height	391 series/791/1350*	350/350D/HGS*
105061	4236 rectangular base w/walls	38¾ (vc)	n/a	72	391 series/791	
105053	32DT square base w/walls	29⅞ x 29⅞	n/a	72	392/792/392C6	
105054	Square base 36DT w/walls	33¼ x 33¼	n/a	72	392/792/392C6	
105042	36" neo base + walls	15 ½ x 24¾ x 15 ½	n/a	72	394/794/394C6/(694–15 ½)	
105043	38" neo base + walls	17 ½ x 24¾ x 17 ½	n/a	72	394/794/394C6	
105044	40" neo base + walls	20⅜ x 24 ½ x 20⅜	n/a	72	394/794/394C6	
105045	42" neo base + walls	20¾ x 26 x 20¾	n/a	72	394/794/394C6	
420000-501	B3Square 3636 (base)	35⅞ (vc)	n/a	tile height	391 series/791/PL91	
410000-501	B3Round 3636 (base)	35⅞ (vc)	n/a	tile height	391 series/791/PL91	
420001-501	B3Square 4832 (base)	47⅞ (vc)	48	tile height	391 series/791/PL91/1350*	350/350D/HGS*
410001-501	B3Round 4832 (base)	47⅞ (vc)	48	tile height	391 series/791/PL91/1350*	350/350D/HGS*
420002-501	B3Square 4834 (base)	47⅞ (vc)	48	tile height	391 series/791/PL91/1350*	350/350D/HGS*
420003-501	B3Square 4836 (base)	47⅞ (vc)	48	tile height	391 series/791/PL91/1350*	350/350D/HGS*
410003-501	B3Round 4836 (base)	47⅞ (vc)	48	tile height	391 series/791/PL91/1350*	350/350D/HGS*
420004-501	B3Square 6030 (base)	59⅞ (vc)	60	tile height	391 series/791/PL91/1350*	350/350D/HGS*
410004-501	B3Round 6030 (base)	59⅞ (vc)	60	tile height	391 series/791/PL91/1350*	350/350D/HGS*
420005-501	B3Square 6032 (base)	59⅞ (vc)	60	tile height	391 series/791/PL91/1350*	350/350D/HGS*
410005-501	B3Round 6032 (base)	59⅞ (vc)	60	tile height	391 series/791/PL91/1350*	350/350D/HGS*
420006-501	B3Square 6036 (base)	59⅞ (vc)	60	tile height	391 series/791/PL91/1350*	350/350D/HGS*
410006-501	B3Round 6036 (base)	59⅞ (vc)	60	tile height	391 series/791/PL91/1350*	350/350D/HGS*
102994-S	Freestyle 37 neo angle (2pc)	(vc)	n/a	tile height	394/794/394C6	
102997	Freestyle 40 neo angle (1pc)	19¾ x 23 ½ x 19¾	n/a	72	394/794/394C6	
105101	Freestyle 42 neo angle (1pc)	(vc)	n/a	tile height	394/794/394C6	
105101-S	Freestyle 42 neo angle (2pc)	(vc)	n/a	tile height	394/794/394C6	

## MIROLIN

model		hinged opening	slider opening	max height	common door options: hinged	slider
EB4242	Ellis 42" (base)	42 (vc)	n/a	tile height	391 series/791/PL91	
EB4836	Ellis 48" (base)	48 (vc)	48	tile height	391 series/791/PL91/1350*	350/350D/HGS*
EB6032	Ellis 60" (base)	60 (vc)	60	tile height	391 series/791/PL91/1350*	350/350D/HGS*
EB6036	Ellis 60" (base)	60 (vc)	60	tile height	391 series/791/PL91/1350*	350/350D/HGS*
(max height with EB wall set is 74" and won't support heavy glass)						
SH4/43	Madison 4	n/a (large corner radii)	43	70		350/350D
SH5/53	Madison 5	n/a (large corner radii)	54	70		350/350D
MEL3	Melrose 3	31	n/a	76	300C/300CV/700C/300C6	
MEL4	Melrose 4	42 <sup>3</sup> / <sub>4</sub>	43	76	391 series/791	350/350D
MEL5	Melrose 5	54 <sup>3</sup> / <sub>4</sub>	56	76	391 series/791	350/350D
SC38NA	Sorrento 38 neo	17 1/2 x 25 x 17 1/2	n/a	73	394/794/394C6	
SC42NA	Sorrento 42 neo	20 1/2 x 25 x 20 1/2	n/a	73	394/794/394C6	
WES5	Weston 5	55 1/4	56	73	391 series/791	350/350D
KD53	Empire	n/a	54	57		340/340D
BA5 L/R	Belaire	n/a	56	58		340/340D
PT520/523	Parker 20	n/a	54	57		340/340D
PT516/513	Parker 16	n/a	54	57		340/340D
TS5	Liberty	n/a	54	57		340/340D
SB3632/34	Strada 36 x 32/34 (base)	36 (vc)	n/a	tile height	391 series/791/PL91	
SB3636A	Strada 36 x 36" (base)	36 (vc)	n/a	tile height	391 series/791/PL91	
SB3636D	Strada 36 x 36" DT (base)	36 (vc) x 36 (vc)	n/a	tile height	392/792/392C6/PL93	
SB4236	Strada 42 x 36 (base)	42 (vc)	n/a	tile height	391 series/791/PL91	
SB4242A	Strada 42 x 42 (base)	42 (vc)	n/a	tile height	391 series/791/PL91	
SB4242D	Strada 42 x 42 DT (base)	42 (vc) x 42 (vc)	n/a	tile height	393/793/393C6/PL93	
SB4836A	Strada 48 x 36 (base)	48 (vc)	48	tile height	391 series/791/PL91/1350*	350/350D/HGS*
SB4836D	Strada 48 x 36 DT (base)	48 (vc) x 48 (vc)	48 x 48 (vc return)	tile height	393/793/393C6/PL93	350/350D/HGS*/with return
SB6030A/32A	Strada 60 x 30/32 (base)	60 (vc)	60	tile height	391 series/791/PL91/1350*	350/350D/HGS*
SB6030A/32E	Strada 60 x 30/32 DT (base)	60 (vc) x 30 (vc)	60 x 32 (vc return)	tile height	393/793/393C6/PL93	350/350D/HGS*/with return
TA6032	Tucson 1	n/a	60	tile height	1340*	340/340D/HGS*

## VENCO

model	hinged opening	slider opening	max height	common door options: hinged	slider
3032 1pc	24		67	300C/700C/300C6/300CV	
3232FW	30	n/a	71	300C/700C/300C6/300CV	
3232FW split	30	n/a	71	300C/700C/300C6/300CV	
3630	31 <sup>3</sup> / <sub>8</sub>	n/a	72		
3636DT (stall w/ walls)	32 x 32	n/a	72	392/792/392C6	
3636FW	33 <sup>3</sup> / <sub>4</sub>	n/a	72	300C/700C/300C6/300CV	
3636FW split	33 <sup>3</sup> / <sub>4</sub>	n/a	71	300C/700C/300C6/300CV	
3636 neo 1pc	16 <sup>1</sup> / <sub>2</sub> x 23 <sup>3</sup> / <sub>4</sub> x 16 <sup>1</sup> / <sub>2</sub>	n/a	70	394/794/394C6/(694 – 16FW)	
3636 neo 2pc (split)	16 x 24 <sup>3</sup> / <sub>4</sub> x 16	n/a	72	394/794/394C6/(694 – 15 <sup>1</sup> / <sub>2</sub> )	
36 neo (base)	16 <sup>3</sup> / <sub>4</sub> x 24 <sup>3</sup> / <sub>4</sub> x 16 <sup>3</sup> / <sub>4</sub>	n/a	tile height	394/794/394C6/(694 – 16 <sup>3</sup> / <sub>8</sub> )	
4234	38 <sup>3</sup> / <sub>4</sub>	n/a	67	391 series/791	
3838N	16 <sup>3</sup> / <sub>4</sub> x 24 <sup>3</sup> / <sub>4</sub> x 16 <sup>3</sup> / <sub>4</sub>	n/a	72	394/794/394C6/(694 – 16 <sup>3</sup> / <sub>8</sub> )	
4836 FW	46	46	70	391 series/791	350/350D
6030 ED split L/R	57 <sup>1</sup> / <sub>4</sub>	58	68 <sup>1</sup> / <sub>4</sub>	391 series/791	350/350D cut down
6034 ED L/R	57 <sup>1</sup> / <sub>2</sub>	58	71	391 series/791	350/350D
6030 TW split L/R	n/a	54	53 <sup>1</sup> / <sub>2</sub>		340/340D
6034 TW split	n/a	54	55		340/340D
6036DS	55 <sup>1</sup> / <sub>2</sub>	56	72	391 series/791	340/340D
NV 4836 L/R	42 <sup>1</sup> / <sub>2</sub>	43	70	391 series/791	350/350D
NV 6031 TW L/R	n/a	54	51		340/340D
NV 6034 TW SW L/R	n/a	54	51		340/340D
NV 6034 TW L/R	n/a	54	56		340/340D
AVB 32 (base)	30 (vc)	n/a	tile height	300C/700C/300C6/300CV	
AVB 36 (base)	34 (vc)	n/a	tile height	300C/700C/300C6/300CV	
AVB 48 (base)	48 (vc)	48	tile height	391 series/791/PL91/1350*	350/350D/HGS*
AVB 60 (base)	60 (vc)	60	tile height	391 series/791/PL91/1350*	350/350D/HGS*
AVB 32DT (base)	30 x 30	n/a	tile height	392/792/392C6	
AVB 48DT (base)	44 <sup>1</sup> / <sub>2</sub> x 32 <sup>1</sup> / <sub>4</sub>	n/a	tile height	392/792/392C6/PL93	
AVB 32 (base)	30 (vc)	n/a	tile height	300C/700C/300C6/300CV	
AVB 36N (base)	16 <sup>3</sup> / <sub>4</sub> x 24 <sup>3</sup> / <sub>4</sub> x 16 <sup>3</sup> / <sub>4</sub>	n/a	tile height	394/794/394C6/(694 – 16 <sup>3</sup> / <sub>8</sub> )	
AVB 42N (base)	21 <sup>3</sup> / <sub>4</sub> x 24 <sup>1</sup> / <sub>2</sub> x 21 <sup>3</sup> / <sub>4</sub>	n/a	tile height	394/794/394C6	

**VENCO** continued

model	hinged opening	slider opening	max height	common door options: hinged	slider
AVB3630LT	35 <sup>7</sup> / <sub>8</sub> (vc)	n/a	tile height	391 series/791/PL91	
AVB4832LT	47 <sup>7</sup> / <sub>8</sub> (vc)	48	tile height	391 series/791/PL91/1350*	350/350D/HGS*
AVB4834LT	47 <sup>7</sup> / <sub>8</sub> (vc)	48	tile height	391 series/791/PL91/1350*	350/350D/HGS*
AVB4836LT	47 <sup>3</sup> / <sub>4</sub> (vc)	48	tile height	391 series/791/PL91/1350*	350/350D/HGS*
AVB6030LT	59 <sup>5</sup> / <sub>8</sub> (vc)	60	tile height	391 series/791/PL91/1350*	350/350D/HGS*
AVB6032LT	59 <sup>5</sup> / <sub>8</sub> (vc)	60	tile height	391 series/791/PL91/1350*	350/350D/HGS*
AVB6034LT	59 <sup>5</sup> / <sub>8</sub> (vc)	60	tile height	391 series/791/PL91/1350*	350/350D/HGS*
AVB6036LT	59 <sup>5</sup> / <sub>8</sub> (vc)	60	tile height	391 series/791/PL91/1350*	350/350D/HGS*
AVB4242DT	42 x 42 (vc)	n/a	tile height	392/792/392C6/PL93	
AVB48DT L/R	47 x 35 <sup>1</sup> / <sub>4</sub> (vc)	48 x 35 <sup>1</sup> / <sub>4</sub> (vc)	tile height	392/792/392C6/PL93	350/350D/HGS*/with return
AVB6032ED L/R	59.75 (vc)	60	tile height	391 series/791/PL91/1350*	350/350D/HGS*
Galaxy 9642	33 <sup>1</sup> / <sub>4</sub> x 32 <sup>1</sup> / <sub>4</sub> w/buttress	n/a	tile height	392/792/392C6/PL93	
Zenith 9636	33 <sup>1</sup> / <sub>4</sub> x 32 <sup>1</sup> / <sub>4</sub> w/buttress	n/a	tile height	392/792/392C6/PL93	